


Keep your dream home **looking new, longer.**



Recommended Surface	Surface Preparation	Primer / Sealer		Apply TopCoat	
		1 coat		2 coats	
		For repainting / powdery surfaces	For new walls		
Exterior Wall	 Inspect the surface before painting and rectify defects. 	Dulux'	Dulux ¹	Dulux'	Dulux i wasaa
	Clean surface with	Dulux Weathershield® Primer	Dulux Weathershield® Sealer	Dulux Weathershield® Powerflexx™	Dulux Weathershield®
Roof	water jet or damp cloth to remove dust, dirt, grease, and other contaminants. Ensure surface is thoroughly dry before painting.	Dulux		Dulux! feethershief	
		Dulux Weathershield® Roof Primer		Dulux Weathershield® Roof	
		(For protection and decoration of primed old and new roofs such as cement fibre sheets, unglazed cement/clay roof tiles, metal deck roofs as well as concrete or cement fibre pipes.)			
	For more information on product usage guide, kindly refer to Technical Data Sheet on Dulux website.				

The Best All-Weather Protection For Your Home



Dulux Weathershield® Powerflexx™



Triple Defence Technology - stretches more to covers 10X* wider cracks, providing water repellence and protection against extreme weather conditions.





Ultimate Crack Proof covers 10x* wider cracks and prevents cracks from resurfacing.



Ultimate Weather Resistant protects against colour fading and unwanted dirt, dust and watermarks



Ultimate Water Repellent protects against algae & fungus, alkali build up and paint peel off.



Keep CoolTM Technology reflects heat from sunlight & reduces surface temperature up to $5^{\circ}C^{\#}$



Dulux Weathershield®



Dualshield™ Technology - 2X** longer protection against colour fading, dirt & dust, alkali, algae & fungus.





Keep Cool™ Technology reflects heat from sunlight & reduces surface temperature up to 5°C[#]



Stay Clean™ Technology protects 2x longer against dirt & dust pick up



Smart Release™ Technology protects 2x longer against algae & fungus



Damp Resist™ Technology protects 2x longer against alkali salt attack



ColourLock[™] Technology protects 2x longer against colour fading



Resists peeling and flaking





Keep CoolTM Heat Reflect Technology - Reduces surface temperature up to $5^{\circ}C^{\#}$ to keep home cooler.



Smart Release™ Technology protects 2x longer against algae & fungus



Protection against alkali salt attack





ColourLock™ Technology protects against colour fading



Resists peeling and flaking

- Under controlled lab test conditions. Information on crack bridging properties can be found on dulux.com.my or product data sheet.
- ** Protects 2x longer than regular exterior paints.
- Compared to regular exterior paint. Test report conducted by BSD (Building System & Diagnostic Pte Ltd).
 Applicable to selected colours only.
- Δ Terms and conditions apply. Please refer to Dulux Weathershield® Powerflexx & Dulux Weathershield® Warranty Agreement.











Dulux Weathershield® Powerflexx™ & Dulux Weathershield®



Colour enhancer is advisable for vibrant colours

		_			
Winterwash 50YR 83/003	Rice Flakes 20YY 77/110	Linwood Beach 71YY 87/078	Cielo Blanco 43YY 81/051	Extreme White 30GY 83/021	Snowbank 10GG 83/018
Alabaster Pink 60YR 83/060	Peaches and Cream 27YY 78/255	Summer Butterfly 60YY 83/156	Eloquent Ivory 45YY 75/110	China White 45YY 74/073	Willow Wood 70YY 63/326
Embrace 30YR 67/113	Peach Goddess 90YR 64/166	Sweet Buttercup 45YY 83/250	Macadamia White 30YY 75/145	Oyster White 30YY 64/149	Woodland Mystery 90YY 52/138
Taupe Pink 10YR 50/101	San Mateo 90YR 46/346	Falling Star 37YY 78/312	Luminary Yellow 30YY 69/216	Dapper Tan 10YY 55/163	Mountain Hike 96YY 53/200
Rustic Elements 99RR 42/216	Light Salmon 60YR 40/423	Summer Feeling 39YY 71/413	Portuguese Sonnet 45YY 65/334	Butterfield 20YY 51/306	Pine Sensation 95YY 39/329
Red Bluff 90RR 20/296	Peking Orange 60YR 24/439	Prairie Grass 35YY 61/431	Tuscan Green 49YY 54/251	Sable Sands 20YY 38/225	Pine Forest Green 10GY 29/158
Massive Mahogany 21YR 13/383	Continental Tile 54YR 22/344	Del Sol 21YY 60/577	Triple Crown 40YY 49/408	Brownington Court 90YR 36/203	Tree Love 68YY 16/179
Plum Jam 72RR 07/173	Red Brick 50YR 09/244	Winning Hue 20YY 27/426	Monarch Gold 20YY 36/370	Bitter Creek 00YY 21/321	Tapenade Green 48YY 12/177



Available in: High Gloss • Gloss • Satin Matt

Approaching Storm 90BG 11/101

Neptunes Depths

27BB 10/138





Featured colours available in tinting for Dulux Aura range

Lake of Grey 39GY 75/033	Horizons	Evening Light	Fostoria Glass	Touch of Grey	Winter Bird
	10BB 73/039	50BB 72/045	90BG 63/043	30BB 72/003	30YY 78/018
Gentle Tide	Mild Wind	Mesmerize	Faded Denim	Shaded Ice	N.B.C White
90GY 63/047	70BG 56/061	70BB 49/082	10BB 55/065	30GG 72/008	30GY 76/017
Island Evening	Wilton Blue	Approaching Night 70BB 35/108	Mouse Morning	Silver Quill	Steeplechase
54GG 47/053	50BG 44/094		10BB 39/100	30GG 61/010	70GY 72/025
Gravel Pit	Blue Chiffon	Evening Shadow	Ascot Blue	Veil	Universal Grey
50GG 40/064	77BG 57/234	30BB 21/056	90BG 41/040	00NN 53/000	00NN 62/000
Riverboat Cruise	Indigo Sea	Arden Forge	Smoke Grey	West Coast Grey	Surreal Blue
30BG 33/207	90BG 21/302	70BB 15/081	90BG 30/073	50BG 38/011	30BB 45/015
Undersea Voyage	Waterbury Cottage	Art Deco	Brooding Storm	Grey Pennant	Granite Grey
10BG 22/248	90BG 28/213	10RB 14/049	87BG 27/077	30BB 31/022	00NN 37/000
Blue Rendezvous	Icelandic Waters	Midnight Glow	Connecticut Blue	Grey Cable	Magnetic Field
50BG 10/175	15BB 19/227	09RB 12/102	90BG 17/090	03BB 17/015	78BG 12/032

Krimson Lake

90BG 08/075

Black Mica

30BB 05/022

Noble Grey 30BB 10/019 Darkened Storm

42BB 09/032





Gorgeous Olive

11GY 12/072

Spanish Moss

70YY 06/088



Chocolate Kiss

60YR 07/093

Fantasy Space

60RR 07/002







Sunflower White° DSWSC16451

Purple Lint B.S. 22B15° DSWSC11083

Orion° DSWSC16273

Buttermilk B.S. 10C31° DSWSC12140

Tungsten° **DSWSC10412**



Ominous°

Whetstone°

Sanctuary°

Pebbles° DSWSC16345

Sandstone° DSWSC12653

Mercury B.S. 00A05° **DSWSC10235**





DSWSC10987









Orange Farm° DSWSC16604

DSWSC10989

^ Available: White **DSWSW15004** / Black ° **DSWSC10207**

^ Available in 5 & 18 litres

° While stocks last

SP Special Price



Ready-mix colours





Sahara

DSRSC12652

DSRSC10524









DSRSC12522

Matahari DSRSC12651



Idaman Grey




DSRSC17144

DSRSC13417



DSRSC14566

DSRSC11445



SP Special Price



* Colours marked with an * are available in ready-mix only. All the other colours shown above are available both in ready-mix and through tinting.



Dulux Aura High Gloss



Dulux Aura Gloss



Dulux Aura Satin Matt





Dewdrop Grey Obelisk

White Wisteria 70BB 73/020

Chiseled Grey

30BB 31/043

Grey Flow

00BB 06/017

11GY 85/016



73YR 32/063

Chocolate Toffee

Elegant Leather

48YR 09/077

52YR 12/212

20YY 45/114









Newspaper Ink 20BB 08/051




Pacific Pines 90YY 35/169



Fairy Tale Green 10GG 33/404



Dramatic Sea 79GG 27/362



White 15578Black 10125

Aura Satin Matt : Available in ready-mix

• White 15555

Apple White°

• Black 10798





Sand Motif°

DSMCG12927







Tropicana B.S. 12E53° \$22

DSMCG2026



Mocha Latte

DSMCG12686



Mistral B.S. 20C33°

DSMCG2059

^ Available in 1 & 5 litres ° While stocks last SP Special Price



Dulux Woodcare Solarscreen

Transparent wood finish with a durable pigmented varnish for protection and decorative purposes

- Filters out UV rays, thereby minimising cracking, flaking & peeling
- Water-resistant, flexible & long-lasting protection
- Finish that highlights wood grains



Honeypine **16325**



Rosewood **14337**



Gold Bar **16601**



Antique **14338**



Mahogany **12493**



Walnut **14331**




Arabian Dust **12701**



Ebony **10484**



Maple Brownie **12702**





Dulux Woodcare Timbercolour

High-quality, durable wood paint for exterior surfaces

- Long-lasting colours with weather protection
- Protection against cracking, flaking & peeling with algal & fungal resistance
- Opaque colours available through tinting





Riverbed **12242**



Chocolate Kiss 60YR 07/093



Redwood 12241



Manor House **50YR 08/038**



Rustic **12243**



Mission Brown 12239

^ Available in 1 & 5 litres

Bronze Amulet

70YR 08/186

Premium Wood, Metal & Exterior Wood Paints



Dulux Aura High Gloss

Smooth Mirror-like Finish (Solvent based)

- Diamond Strong[™] Technology comes with:
- Excellent colour & gloss retention
- Intense colour
- Fast drying
- · Fungus resistance
- Good UV protection



Dulux Galvanising Primer





Dulux Aura Gloss*

Luxurious Gloss & Smooth Finish (Water based)



Dulux Aura Satin Matt

Elegant Satin Finish (Water based)

- Diamond Strong[™] Technology comes with:
- Excellent colour & gloss retention
- Intense colour
- Fast drying

- Low odour & low VOC
- Non yellowing











Dulux Woodcare Timbercolour

High-quality, durable wood paint for exterior surfaces

- · Long-lasting colours with weather protection
- Protection against cracking, flaking & peeling with algal & fungal resistance
- · Opaque colours available through tinting



Dulux Woodcare Solarscreen

Transparent wood finish with a durable pigmented varnish for protection and decorative purposes

- Filters out UV rays, thereby minimising cracking, flaking & peeling
- Water-resistant, flexible & long-lasting protection

Dulux Aura High Gloss Dulux Aura Gloss Dulux Aura Satin Matt

· Finish that highlights wood grains

		STEP 1 Sealer/Primer	STEP 2 Undercoat	STF	P 3 Top Coat	
		1 Coat	1 Coat	312	2 Coats	
ОО	Interior	Dulux Aluminium Wood Primer (Solvent base)	Dulux Aura Speed Undercoat		Apply directly to prepared wood surface with no Primer and Undercoat required Dulux Woodcare mbertone (3 coats)	
WOOD	Exterior	No primer and undercoat required Apply directly to prepared wood surface		Dulux Woodcare Timbercolour Dulux Woodcare Solarscreen (3 coats)		
& METAL	Solvent Base	Dulux AUFA PRIMER Dulux Aura Metal Primer	Dulux Aura Speed Undercoat	Dulu	x Aura High Gloss	
WOOD &	Water Base	Dulux Aura Wood & Metal Primer		Dulux Aura Gloss Dulux Aura Satin Matt		
VANIZED	STEEL		Dulux AURA SPEED UNDERCOAT	Dulux' AURA makana	Dulux AURA AURA	

Dulux Aura Speed Undercoat

DULUX AQUATECH™ MAX WATERPROOFING

Hydroresist technology forms an impenetrable tough yet flexible barrier film over porous surfaces to bridge cracks and to prevent water seepage and fungal attacks.









ADVANCED CRACK GUARD

- Provides crack bridging up to 2mm





Dulux!

Areas of













Application

RC Gutters

FOOT TRAFFICABLE

Flat roofs

Terraces & Balconies

Kitchen/ Toilet Floor Slabs

Planter Boxes

External Walls

Recommended Applications	Surface Preparation	Self-priming	Finish
Exterior & Interior	Inspect the surface before painting and rectify defects	Diluting with water up to 30% to ensure good penetration into the substrate	Apply 2-3 coats

LOOKING OR A RELIABLE PAINTER?

DULUX WILL HELP YOU FIND ONE!





www.duluxpainter.com.my





PAINT THAT'S AS GOOD AS PROMISED















For more details, please visit www.dulux.com.my





